

GX™

The Essential Painting Tool for Professionals



PROVEN QUALITY. LEADING TECHNOLOGY.



Three reasons why contractors are switching to GX:

- PERFECT AIRLESS FINISH:** finish more jobs quicker, and with a better finish.
- EASY TO CARRY AROUND:** take your corded or cordless sprayer wherever you go.
- EASY PUMP REPLACEMENT:** no tools needed, so no downtime expenses.

A quality airless sprayer has never been this **affordable**.

GX airless sprayers are an essential tool for professionals. The innovative design lets you take your first steps into airless spraying with just a limited investment.

The GX range covers everything from one wall and residential repaints to large finish projects. For both water-based and solvent-resistant materials.

An overview of the different units to help you find the sprayer that best suits your projects.



| Model | GX19 | GX21 | GXFF |
|--------------|---------------------------------------|---|--------------------------------------|
| Material | Waterbased materials | Water- and solvent based materials | Water- and solvent based materials |
| Application | Ideal for interior walls and ceilings | For professional residential repaint, new builds and small fine finish jobs | Medium to large fine finish projects |
| Power source | Corded | Corded or cordless | Corded or cordless |

GXTM 19

ProX stainless steel piston pump

Exceptional durability and long life piston pump

Professional SG3TM Gun

With RAC XTM LP517 SwitchTip and Guard, 15 m hose

Direct Immersion design

Draws paint directly from paint buckets



A Push Prime button
Push-Prime button loosens stuck inlet check valve in case of priming issues



B ProXchange Pump replacement
Fast and easy on-the-job



C Compact design
Lighter than any competitive system

GX™ | Corded or Cordless, You Choose!

GX™ 21•

•• Flexible Clear Tubing

Easy to use and clean.
Spray water or solvent-based paints directly from containers from 1 - 30 litres.



•• Convenient Drip Cup

Eliminates the risk of paint drips.



D •• Direct Immersion Design

Draws paint directly from paint buckets.

A B C Features - see p.6



•• Professional SG3™ Gun

With 2 RAC X™ tips, 15 m hose



•• ProX™ Power-Piston Pump

- Exceptional durability and long life piston pump
- Exclusive, lifetime lubricated wiper pad for maintenance-free operation
- Modular pump components for easy maintenance

GX™ 21 CORDLESS



• Powered by DeWALT™

Spray up to 11.5 litres per battery charge



- Corded and Cordless
- Cordless specific

GX™ | Corded or Cordless, You Choose!

GX™ FF



Hopper (5.7 litre) – Toolless removal

Ideal for small amounts of material
Lid included for spill-proof portability

Durable FTx™-E Gun

with RAC X™ tip, 7.5 m hose



A Adjustable Pressure Control

Allows you to spray or roll a wide range of coatings.



B PushPrime™

Assures fast priming every time — loosens stuck inlet check valves in case of priming issues.



C Pressure Gauge

Professional oil-filled pressure gauge



CONTRACTOR PC COMPACT GUN: SPRAY IN THE TIGHTEST AREAS WITH EASE

The Contractor PC Compact, 25% lighter and 25% smaller, delivering all-day comfort and control — designed for maximum flexibility in tight spaces. Reduce downtime 1-part, on-the-job gun rebuild.

GX™ FF Cordless

Powerful Brushless DC motor

Lightweight, compact design allows for increased portability

Powerful brushless motor provides extended runtime



Powered by DeWALT™

Spray up to a full day of fine finish projects with two fully charged DEWALT batteries



Technical Specifications

All units ship complete and ready to spray:



| Model Name: | GX™ 19 | GX™ 21 | GX™ 21 cordless | GX™ FF | GX™ FF cordless |
|-------------------------------|-------------------------|-------------------------------------|--|---------------------------------------|--|
| Part Numbers: | | | | | |
| for EURO Version (230 V) | CEE / 18H284 | CEE / 17G183 | CEE cordless / 25T967 | CEE VDO cord / 17G184 | CEE cordless / 25U466 |
| for Multicord Version (230 V) | UK cord / 18H285 | Multi : IT-CH-DK-UK / 17H218 | UK cordless / 25T973 | Multi x4: IT-CH-DK-UK / 17H222 | UK cordless / 25U570 |
| Max. Working Pressure - bar | 207 bar | 207 bar | 207 bar | 207 bar | 207 bar |
| Max. Tip Size - 1 Gun | 0.019" | 0.021" | 0.021" | 0.019" | 0.019" |
| Max. Fluid Flow - lpm / (gpm) | 1.4 / (0.37) | 1.8 / (0.47) | 1.8 / (0.47) | 1.4 / (0.37) | 1.4 / (0.37) |
| Frame Design | DI Stand | DI Stand | DI Stand | Hopper Stand | Hopper Stand |
| Suction System | Suction tube | Suction tube, solvent resistant | Suction tube, solvent resistant | 5.7 litre Hopper, solvent resistant | 5.7 litre Hopper, solvent resistant |
| InstaClean™ Pump Filter | 40 mesh | 40 mesh | 40 mesh | None | None |
| Hose | 1/4" x 15 m Duraflex™ | 1/4" x 15 m Duraflex™ | 1/4" x 15 m Duraflex™ | 3/16" x 7.5 m BlueMax™ II | 3/16" x 7.5 m BlueMax™ II |
| Power supply | Power cable | Power cable | 2x 54V DeWALT™ FlexVolt 6.0 Ah battery | Power cable | 2x 54V DeWALT™ FlexVolt 6.0 Ah battery |
| Gun / Guard / Tip | SG3™ / RAC X™ / LP517 | SG3™ / RAC X™ / LP517 / FFLP310 | SG3™ / RAC X™ / LP517 / FFLP310 | FTx™ -E / RAC X™ / FFLP210 | Contractor PC Compact / RAC X™ / FFLP210 |
| Gun Filter | 60 mesh | 60 mesh | 60 mesh | 100 mesh | 100 mesh |
| Gun Style | 4-Finger | 4-Finger | 4-Finger | 2-Finger | 2-Finger |



Transform your GX unit into the optimal renovation painting tool

JETROLLER™

Extend your sprayer

Use your preferred roller and combine rolling & spraying into one operation. Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation.

Benefits:

- Uses commonly available 18 or 25 cm roller covers.
- Completes large jobs in half the time of traditional methods
- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot™ Shut-Off™ valve, Inline™ gun, spray tip and guard.



PROXCHANGE™ PUMP REPLACEMENT SYSTEM



The Easy & Fast Pump Repair System

In four simple steps, you can remove and replace the pump cartridge:

- No tools needed to remove pump
- Simply lift door to remove pump




Slide & lift open access door



Remove pump section



Use frame hex fitting to loosen pump and remove cartridge



Install new cartridge and replace pump



! TIP

Replacement Pump
Avoid downtime by keeping a spare replacement pump to hand !

Accessories

Get the most out of your equipment,
using our professional accessories:



- Guns

17J261 FTx™-E gun, 2-Finger, with RAC X™ 210 tip
17J910 SG3™ gun, 4-Finger, with RAC X™ 515 tip
19Y350 Contractor PC Compact™ gun, with RAC X™ 517 tip



- Filters

Gun Filter (for GX™ FF - FTx™-E Gun)
257129 30 mesh, grey | 287033 100 mesh, blue
287032 60 mesh, black | 257130 200 mesh, red



- Gun Filter (for GX™ FF Cordless - Compact™ Gun)

19Y355 60 mesh, black | 19Y356 100 mesh, blue
19Y358 60 & 100 mesh, black & blue



- Gun Filter (for GX™ 21 - SG3™ Gun)

218131 50 mesh, blue | 256975 150 mesh, red
218133 100 mesh, orange

- Material Filter InstaClean™

257094 40 mesh, inline filter



- Hoses

214698 3/16" x 7.5 m (BlueMax™ II)
247340 1/4" x 15 m (Duraflex™)



- Tips & Guards

LPXXX Green RAC X™ low pressure tip
FFLPXXX Green RAC X™ Fine Finish low pressure tip
WA12XX RAC X™ Wide RAC™, for big surfaces
246215 RAC X™ guard



- Other

17J444 Carrying strap
17J244 Hopper, 5.7 litre (GX™ FF only)
253574 Pump Armor™, 1 litre, cleaning fluid



- ProXChange™ Pump Kit - Blister Pack

24Y472 Blister pack, fits all GX units

- JetRoller™ System

with Inline™ Gun

24V490 roller 18 cm
24V491 roller 25 cm

without Inline™ Gun

24V492 roller 18 cm
24V493 roller 25 cm

- CleanShot™ RAC X™ Pole Gun

287026 90 cm | 287027 180 cm

- Rollers with InLine™ Gun

6880095 Exterior, 30 cm fixed
098084 Exterior, 90-180 cm telescopic
098085 Exterior, 45-90 cm telescopic
245397 Interior, 50 cm fixed

- RAC X™ Tip Extensions

287019 25 cm | 287021 50 cm
287020 40 cm | 287022 75 cm
232123 1 m Heavy Duty extension

- Whips (230 bar)

238358 3/16" x 0.9 m
238359 3/16" x 1.8 m
238959 3/16" x 1.4 m

- ProGuard™+

24W090 230 V, CEE 7/7, shuko
24W755 230 V, IEC320, multicord

- Batteries

20A163 DeWalt™ 54V 6.0 Ah FlexVolt Battery
20A166 DeWalt™ Fan-cooled fast charger





OUR BRAND PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ Service** have been at the centre of Graco.

Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs:

www.graco.com/contact

Graco is certified ISO 9001.

©2016 Graco Distribution BV 300735ENEU-F 09/24 Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.