AP1850e, AP1840e

Single Direction Vibratory Plates







The battery-operated vibratory plates

With the AP1850e and the AP1840e, Wacker Neuson offers the world's only battery-operated and thus wireless vibratory plates for completely emission-free compaction operation. With a battery runtime, that is sufficient for the compaction work on a full working day the AP1850e and AP1840e open up new areas of applications. They are in no way inferior to their conventionally operated relatives in terms of performance. The battery plates are available with or without water tank and sprinkling system.

- Large area compaction capacity (> 800 m²), one battery charge last for a full working day
- Proven electric motor without V-belt so completely maintenance-free and therefore cost-saving
- Emission-free operation protects the operator on all construction sites and opens new fields of applications in the interior and in emission-regulated areas (inner city districts)
- Low energy costs: savings of around 70% compared to a gasoline plate of the same weight class
- Battery and charger are modular and can also be used for our battery rammers

AP1850e, AP1840e Technical specifications

Operating data Operating 111 101.4 103 93 weight kg Centrifugal 18 18 18 18 force kN Operating 500 500 400 400 width mm Frequency Hz 98 98 98 98 Hand-arm 4 3.2 3.2 vibrations m/s² Advance 27 27 27 27 travel m/min Surface 810 810 648 648 capacity m²/h

AP1850we - with water tank AP1850e - no water tank AP1840we - with water tank AP1840e - no water tank

Battery BP1000

_				
Type of battery	Li-lon	Li-lon	Li-lon	Li-lon
Weight kg	9.4	9.4	9.4	9.4
LxWxH mm	220 x 290 x 194			
Rated voltage V	51	51	51	51
Energy content Wh	1,008	1,008	1,008	1,008
Capacity Ah	20	20	20	20
Charge current max. A	32	32	32	32
Discharge current max. A	160	160	160	160

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations. Copyright © 2019 Wacker Neuson SE.